

Superior Essex 4-Pair Plenum Copper Cable: Category 6A ScTP (F/UTP) by Superior Essex

Health Product Declaration v2.1

CLASSIFICATION: 27 10 00.00 Communications: Structured Cabling

created via: HPDC Online Builder

PRODUCT DESCRIPTION: This HPD covers the Superior Essex 4-Pair plenum Category 6A ScTP (F/UTP) copper cable. Category 6A F/UTP (ScTP) cable, swept out to 650 MHz, meets or exceeds ANSI/TIA-568-C.2 for CAT 6A cables, a requirement for 10GBASE-T applications. The cable is UL Verified CAT 6A and has a typical Alien Crosstalk margin of 18 dB. The cable consists of four (4) balanced 23 AWG copper pairs around a flame retardant cross-web. The core is wrapped with a Mylar backed aluminum foil. A drain wire is applied longitudinally against the tape. The cable is then protected with a flexible riser or plenum rated PVC jacket. Standard features include ColorTip circuit identification system and QuickCount length marking system measured in both feet and meters.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
 Product

Threshold level

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Per OSHA MSDS
 Other

Residuals/Impurities

Residuals/Impurities Considered in 5 of 6 Materials

Explanation(s) provided for Residuals/Impurities?

- Yes No

Are All Substances Above the Threshold Indicated:

Characterized
Percent Weight and Role Provided? Yes No

Screened
Using Priority Hazard Lists with Results Disclosed? Yes No

Identified
Name and Identifier Provided? Yes No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | **SUBSTANCE** | *RESIDUAL OR IMPURITY*
GREENSCREEN SCORE | HAZARD TYPE

ELECTRICAL CONDUCTOR [COPPER (COPPER) **LT-UNK**] PLENUM JACKET 3 [**UNDISCLOSED LT-P1** | RES **UNDISCLOSED BM-2** | RES **UNDISCLOSED LT-1** | CAN **UNDISCLOSED BM-2** | PBT | END | MUL **UNDISCLOSED LT-UNK** **UNDISCLOSED LT-UNK** | SKI **UNDISCLOSED BM-1** | MAM | AQU | CAN | MUL **UNDISCLOSED LT-UNK** **UNDISCLOSED BM-1** | MUL **UNDISCLOSED LT-P1** | END **UNDISCLOSED LT-P1** **UNDISCLOSED LT-1** | CAN | END **UNDISCLOSED BM-3** **UNDISCLOSED LT-P1** **UNDISCLOSED LT-UNK** **UNDISCLOSED BM-3** **UNDISCLOSED LT-UNK** **UNDISCLOSED LT-UNK** **UNDISCLOSED LT-1** | CAN **UNDISCLOSED LT-UNK** **UNDISCLOSED BM-3** **UNDISCLOSED BM-1** | AQU | RES | MUL **UNDISCLOSED NoGS** **UNDISCLOSED LT-P1**] FEP WIRE INSULATION 2 [1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE (1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE) **LT-UNK**] CROSS WEB SEPARATOR 1 [1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE (1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE) **LT-UNK**] ALUMINUM SHIELD [ALUMINUM (ALUMINUM) **LT-P1** | RES | END | PHY SILICON (SILICON) **LT-UNK** MAGNESIUM (MAGNESIUM) **LT-UNK** | PHY MANGANESE (MANGANESE) **LT-P1** | END | MUL | REP NICKEL (NICKEL) **LT-1** | CAN | RES | SKI | MAM | MUL COPPER (COPPER) **LT-UNK** IRON (IRON) **LT-P1** | END] TIN COATED DRAIN WIRE [COPPER (COPPER) **LT-UNK** TIN (TIN) **LT-P1**]

Number of Greenscreen BM-4/BM3 contents..... 3
Contents highest concern GreenScreen
Benchmark or List translator Score..... BM-1
Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

All substances in this HPD have been screened using Priority Hazard Lists with results disclosed.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A
LCA: Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2018-02-02

PUBLISHED DATE: 2018-02-28

EXPIRY DATE: 2021-02-02

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

ELECTRICAL CONDUCTOR

#: 34.9770

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

COPPER (COPPER)

ID: 7440-50-8

#: 100.0000 GS: LT-UNK RC: None NANO: No ROLE: Conductor

HAZARDS: AGENCY(IES) WITH WARNINGS:

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES:

PLENUM JACKET 3

#: 23.1100

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

UNDISCLOSED

#: 30.0000 - 40.0000 GS: LT-P1 RC: None NANO: No ROLE: Polymer

HAZARDS: AGENCY(IES) WITH WARNINGS:

RESPIRATORY AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED%: **15.0000 - 25.0000**GS: **BM-2**RC: **None**NANO: **No**ROLE: **Additive**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

RESPIRATORY

AOEC - Asthmagens

Asthmagen (ARs) - sensitizer-induced - inhalable forms only

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED%: **Impurity/Residual**GS: **LT-1**RC: **None**NANO: **No**ROLE: **Impurity/Residual**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources

CANCER

US NIH - Report on Carcinogens

Known to be Human Carcinogen (respirable size - occupational setting)

CANCER

MAK

Carcinogen Group 1 - Substances that cause cancer in man

CANCER

New Zealand - GHS

6.7A - Known or presumed human carcinogens

CANCER

Japan - GHS

Carcinogenicity - Category 1A

CANCER

Australia - GHS

H350 - May cause cancer

SUBSTANCE NOTES: This substance is a residual considered proprietary by the supplier; however, the health hazards are disclosed.

UNDISCLOSED%: **0.0000 - 10.0000**GS: **BM-2**RC: **None**NANO: **No**ROLE: **Additive**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

PBT

OSPAR - Priority PBTs & EDs & equivalent concern

PBT - Chemical for Priority Action

ENDOCRINE

OSPAR - Priority PBTs & EDs & equivalent concern

Endocrine Disruptor - Chemical for Priority Action

PBT

EU - ESIS PBT

Fulfills PBT Criteria - Action Deferred

PBT

ChemSec - SIN List

PBT / vPvB (Persistent, Bioaccumulative, & Toxic / very Persistent & very Bioaccumulative)

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

PBT

EHP - San Antonio Statement on BFRs & CFRs

Flame retardant substance class of concern for PB&T & long range transport

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

#: **0.0000 - 10.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Additive**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

#: **0.0000 - 10.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Additive**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

SKIN IRRITATION

EU - GHS (H-Statements)

H315 - Causes skin irritation

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

#: **0.0000 - 5.0000** GS: **BM-1** RC: **None** NANO: **No** ROLE: **Additive**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MAMMALIAN

EU - R-phrases

R20 - Harmful by Inhalation (gas or vapor or dust/mist)

MAMMALIAN

EU - R-phrases

R22 - Harmful if Swallowed

ACUTE AQUATIC

EU - R-phrases

R51 - Toxic to Aquatic Organisms

CANCER

IARC

Group 2b - Possibly carcinogenic to humans

CANCER

CA EPA - Prop 65

Carcinogen

CHRON AQUATIC

EU - GHS (H-Statements)

H411 - Toxic to aquatic life with long lasting effects

CANCER

EU - GHS (H-Statements)

H351 - Suspected of causing cancer

MULTIPLE

ChemSec - SIN List

CMR - Carcinogen, Mutagen &/or Reproductive Toxicant

CANCER

MAK

Carcinogen Group 2 - Considered to be carcinogenic for man

CANCER

Japan - GHS

Carcinogenicity - Category 1B

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

#: **0.0000 - 5.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Additive**

HAZARDS: AGENCY(IES) WITH WARNINGS:
None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

#: **0.0000 - 2.0000** GS: **BM-1** RC: **None** NANO: **No** ROLE: **Additive**

HAZARDS: AGENCY(IES) WITH WARNINGS:
MULTIPLE German FEA - Substances Hazardous to Waters Class 2 - Hazard to Waters

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

#: **0.0000 - 2.0000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Additive**

HAZARDS: AGENCY(IES) WITH WARNINGS:
ENDOCRINE TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

#: **0.0000 - 5.0000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Additive**

HAZARDS: AGENCY(IES) WITH WARNINGS:
None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

#: **0.0000 - 2.0000** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Additive**

HAZARDS: AGENCY(IES) WITH WARNINGS:
CANCER US CDC - Occupational Carcinogens Occupational Carcinogen
CANCER CA EPA - Prop 65 Carcinogen - specific to chemical form or exposure route

CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

#: **0.0000 - 1.5000** GS: **BM-3** RC: **None** NANO: **No** ROLE: **Additive**

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

#: **0.0000 - 1.0000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Additive**

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

#: **0.0000 - 1.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Additive**

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

#: **0.0000 - 1.0000** GS: **BM-3** RC: **None** NANO: **No** ROLE: **Additive**

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

#: **0.0000 - 1.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Additive**

HAZARDS: AGENCY(IES) WITH WARNINGS:
None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

#: **0.0000 - 1.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Additive**

HAZARDS: AGENCY(IES) WITH WARNINGS:
None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

#: **0.0000 - 1.0000** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Additive**

HAZARDS: AGENCY(IES) WITH WARNINGS:

CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

#: **0.0000 - 5.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Filler**

HAZARDS: AGENCY(IES) WITH WARNINGS:
None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

#: **0.0000 - 5.0000** GS: **BM-3** RC: **None** NANO: **No** ROLE: **Flame Retardant**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

#: **0.0000 - 5.0000**

GS: **BM-1**

RC: **None**

NANO: **No**

ROLE: **Flame Retardant**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

ACUTE AQUATIC

EU - R-phrases

R50 - Very Toxic to Aquatic Organisms

RESPIRATORY

AOEC - Asthmagens

Asthmagen (ARs) - sensitizer-induced - inhalable forms only

ACUTE AQUATIC

EU - GHS (H-Statements)

H400 - Very toxic to aquatic life M = 1000000

CHRON AQUATIC

EU - GHS (H-Statements)

H410 - Very toxic to aquatic life with long lasting effects

RESTRICTED LIST

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

#: **0.0000 - 5.0000**

GS: **NoGS**

RC: **None**

NANO: **No**

ROLE: **Flame Retardant**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

#: **0.0000 - 5.0000**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **Functional Filler**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

FEP WIRE INSULATION 2

#: **21.6930**

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm.

Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE (1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE)

ID: 25067-11-2

#: **100.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Insulation**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

CROSS WEB SEPARATOR 1

#: **11.7600**

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Residuals are not considered; proprietary additives are used in the manufacturing of this material and should be fully consumed in the process.

OTHER MATERIAL NOTES: All substances excluding residuals are disclosed to 1,000 ppm.

1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE (1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE)

ID: 25067-11-2

#: **100.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Cross web separator**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

ALUMINUM SHIELD

#: **5.5880**

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

ALUMINUM (ALUMINUM)

ID: 7429-90-5

#: **81.0000 - 99.0000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Alloy Metal**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
RESPIRATORY	AOEC - Asthmagens	Asthmagen (ARs) - sensitizer-induced - inhalable forms only
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H228 - Flammable solid
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H261 - In contact with water releases flammable gases

SUBSTANCE NOTES: Substance ranges based on supplier documentation.

SILICON (SILICON)

ID: 7440-21-3

#: **1.0000 - 13.5000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Alloy Metal**

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: Substance ranges based on supplier documentation.

MAGNESIUM (MAGNESIUM)

ID: 7439-95-4

#: **1.0000 - 5.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Alloy Metal**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously

SUBSTANCE NOTES: Substance ranges based on supplier documentation.

MANGANESE (MANGANESE)

ID: 7439-96-5

#: **1.0000 - 2.0000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Alloy Metal**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1B

SUBSTANCE NOTES: Substance ranges based on supplier documentation.

NICKEL (NICKEL)

ID: 7440-02-0

%: 1.0000 - 5.0000	GS: LT-1	RC: None	NANO: No	ROLE: Alloy Metal
---------------------------	-----------------	-----------------	-----------------	--------------------------

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RESPIRATORY	AOEC - Asthmagens	Asthmagens (ARs) - sensitizer-induced - inhalable forms only
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization

SUBSTANCE NOTES: Substance ranges based on supplier documentation.

COPPER (COPPER)

ID: 7440-50-8

%: 0.1000 - 4.7000	GS: LT-UNK	RC: None	NANO: No	ROLE: Alloy Metal
---------------------------	-------------------	-----------------	-----------------	--------------------------

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
None Found	No warnings found on HPD Priority lists	

SUBSTANCE NOTES: Substance ranges based on supplier documentation.

IRON (IRON)

ID: 7439-89-6

%: 0.1000 - 1.3000	GS: LT-P1	RC: None	NANO: No	ROLE: Alloy Metal
---------------------------	------------------	-----------------	-----------------	--------------------------

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Substance ranges based on supplier documentation.

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

COPPER (COPPER)

ID: 7440-50-8

%: **98.0000 - 99.9900** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Drain Wire**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Substance ranges based on supplier documentation.

TIN (TIN)

ID: 7440-31-5

%: **0.0100 - 2.0000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Tin Coating**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Substance ranges based on supplier documentation.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS**N/A**

CERTIFYING PARTY: Self-declared

ISSUE DATE:0000-01-

EXPIRY DATE:

CERTIFIER OR LAB: None

APPLICABLE FACILITIES: All

01

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

LCA**Environmental Product Declaration**

CERTIFYING PARTY: Third Party

ISSUE DATE:2014-06-

EXPIRY DATE: 2019-

CERTIFIER OR LAB: UL Environment

APPLICABLE FACILITIES: Hoisington, KS, USA

06

06-06

CERTIFICATE URL:

<http://ce.superioressex.com/about/environmental/>

CERTIFICATION AND COMPLIANCE NOTES:

Superior Essex 4-Pair Plenum Copper Cable: Category 6A ScTP (F/UTP)
 hpdrepository.hpd-collaborative.org

+ Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

POLYESTER PULL STRING

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Installers use wire pulling string as a safe means of pulling wire and cable in the installation. When using proper pulling string, it is possible to install cable without harming the installer or the product.

Section 5: General Notes

This Health Product Declaration was prepared by Sustainable Solutions Corporation of Royersford, Pennsylvania on behalf of Superior Essex.

Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: **Superior Essex**

ADDRESS: **6120 Powers Ferry Road Suite 150
Atlanta GA 30339, USA**

WEBSITE: **<http://ce.superioressex.com/>**

CONTACT NAME: **Steve Born**

TITLE: **Sr. Applications Engineer, LEED AP BD+C**

PHONE: **770-657-6000**

EMAIL: **steve.born@spsx.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.