

Superior Essex 4-Pair Plenum Copper Cable: Category 6 with FEP Jacket by Superior Essex

Health Product Declaration v2.1

CLASSIFICATION: 27 10 00.00 Communications: Structured Cabling

created via: HPDC Online Builder

PRODUCT DESCRIPTION: This HPD covers the Superior Essex 4-Pair plenum FEP Jacketed Category 6 copper cable. FEP Jacketed Category 6 Plenum is designed for high-risk applications such as chemical processing plants, petroleum refineries, and temperature extremes. Employing the latest polymer technology, FEP Jacketed Category 6 Plenum is constructed entirely of chemical, oil, heat, and moisture resistant FEP fluoropolymer. It is ideally suited for industrial UTP applications where severe environmental stresses would compromise standard PVC plenum cables. Additionally, the cable is specially processed to ensure a more durable print legend.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

Residuals/Impurities Considered in 3 of 4 Materials

Explanation(s) provided for Residuals/Impurities?

- Yes
- No

Are All Substances Above the Threshold Indicated:

Characterized

Percent Weight and Role Provided?

- Yes
- No

Screened

Using Priority Hazard Lists with Results Disclosed?

- Yes
- No

Identified

Name and Identifier Provided?

- Yes
- No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | **SUBSTANCE** | *RESIDUAL OR IMPURITY*
GREENSCREEN SCORE | HAZARD TYPE

ELECTRICAL CONDUCTOR [**COPPER (COPPER)** **LT-UNK**] **FEP JACKET** [**1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE (1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE)** **LT-UNK**] **FEP WIRE INSULATION** [**1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE (1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE)** **LT-UNK**] **CROSS WEB SEPARATOR 1** [**1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE (1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE)** **LT-UNK**]

Number of Greenscreen BM-4/BM3 contents..... 0
Contents highest concern GreenScreen
Benchmark or List translator Score..... LT-UNK
Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

All substances in this HPD have been screened using Priority Hazard Lists with results disclosed.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A
LCA: Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared
VERIFIER:
VERIFICATION #:

SCREENING DATE: 2018-02-02
PUBLISHED DATE: 2018-02-28
EXPIRY DATE: 2021-02-02

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

ELECTRICAL CONDUCTOR

#: 50.7290

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

COPPER (COPPER)

ID: 7440-50-8

#: 100.0000 GS: LT-UNK RC: None NANO: No ROLE: Conductor

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

FEP JACKET

#: 26.4900

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm

1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE (1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE)

ID: 25067-11-2

#: 100.0000 GS: LT-UNK RC: None NANO: No ROLE: Jacketing

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE (1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE)

ID: 25067-11-2

#: 100.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Insulation
-------------	------------	----------	----------	------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

CROSS WEB SEPARATOR 1

#: 1.8160

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Residuals are not considered; proprietary additives are used in the manufacturing of this material and should be fully consumed in the process.

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE (1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE)

ID: 25067-11-2

#: 100.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Cross web separator
-------------	------------	----------	----------	---------------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

N/A

CERTIFYING PARTY: Self-declared

ISSUE DATE: 0000-01-

EXPIRY DATE:

CERTIFIER OR LAB: None

APPLICABLE FACILITIES: All

01

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

LCA

Environmental Product Declaration

CERTIFYING PARTY: Third Party

ISSUE DATE: 2014-06-

EXPIRY DATE: 2019-

CERTIFIER OR LAB: UL Environment

APPLICABLE FACILITIES: Hoisington, KS, USA

06

06-06

CERTIFICATE URL:

<http://ce.superioressex.com/about/environmental/>

CERTIFICATION AND COMPLIANCE NOTES:

+ Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

POLYESTER PULL STRING

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Installers use wire pulling string as a safe means of pulling wire and cable in the installation. When using proper pulling string, it is possible to install cable without harming the installer or the product.

📖 Section 5: General Notes

This Health Product Declaration was prepared by Sustainable Solutions Corporation of Royersford, Pennsylvania on behalf of Superior Essex.

👁️ Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: **Superior Essex**

CONTACT NAME: **Steve Born**

ADDRESS: **6120 Powers Ferry Road Suite 150
Atlanta GA 30339, USA**

TITLE: **Sr. Applications Engineer, LEED AP BD+C**

WEBSITE: <http://ce.superioressex.com/>

PHONE: **770-657-6000**

EMAIL: steve.born@spsx.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Superior Essex 4-Pair Plenum Copper Cable: Category 6 with FEP Jacket
hpcrepository.hpd-collaborative.org

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insufficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1

LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.